


Reavell®

An Ingersoll Rand Business

Breathing New Life

High Pressure Compressor Modules
for Breathing Air System Providers



Breathing new life


Designed for reliable integration and optimised for maintenance. Breathe new life into your breathing air systems with Reavell.

Perfect with pressure

Building on a 120 year heritage, Reavell continues to maintain its position at the leading edge of compressed air technology. The engineers behind the first Scott-Reavell steam engine, patented in 1894, probably wouldn't recognise our current high pressure compressor range, but they would certainly identify with our relentless drive for technical excellence and quality customer service.

Part of an Ingersoll Rand Engineered systems and Services (ESS), we continually invest in research and development, with the goal of continuously improving the reliability and efficiency of our machines.

Our compact compressor solutions are designed to offer market leading, maximum output with minimum size and weight. They deliver unrivalled performance and peace of mind for customers operating in some of the world's most demanding environments - at sea, on land and underground.



Reavell 5209N2B2




Breathing air offers a lifeline when it matters most. Our modules are designed to ensure reliability through integration, making Reavell the intelligent partner for your breathing air systems.

Groundbreaking integrated reliability


Reavell is a world renowned name in breathing air supply, and we have developed our premium range of compressors into a truly groundbreaking range of breathing air modules, designed to ensure reliability through ease of integration, specifically for your breathing air packages.

Whether it's that focus on ease of integration, the benefits of our revolutionary piston technology, our expertise in air and gas compression, or the support you can expect from a global leader, you can be sure that integrating a Reavell module into your package means reliability and heritage will be built in.


With this in mind, it's no surprise that our breathing air systems are used across commercial and industrial settings, so wherever your end user – Reavell offers the compressor you'll need.



Fire Departments



Rescue & Recovery



Diving



Defence



Marine & Offshore



Sport & Leisure



The 7 Steps to Integrated Reliability

Integrated reliability means you don't need to worry about your compressor unit.


Using our experience of OEM, packager and end user supply we know the difficulties involved in packaging any breathing air compressor, and using our expertise in compressor design, we've solved them.

We don't pass on reliability issues to be solved by the packager, that's why all Reavell breathing air modules above 5 kW come with the following features built in, to ensure reliability in the toughest conditions.


- 1 Integrated unloading and condensate drain block** ensures safe and reliable draining of the compressor. Protects from condensate build up, uneven unloading and staggered re-loading which can lead to high pressure stage failures.
- 2 Drain block safety valve** protects drain block in the event of a downstream blockage.
- 3 Separator assembly** final stage cyclone separator included to ensure condensate is efficiently removed before downstream equipment.
- 4 Non-return valve** ensures downstream (system) pressure is not lost during compressor drain cycles.
- 5 Pressure maintaining valve** ensures compressor is operating in its intended pressure range for optimum efficiency. Protects from high oil carryover and premature valve failure.
- 6 Final delivery safety valve** ensures compressor is running within its design limits, protects from over pressurisation and catastrophic failure.
- 7 Oil injection lubrication** to the running gear and all compression stages maximises service intervals and ensures your machine runs reliably.




Integrated New Life




5404



Drive Options		
443 X 1 X SPA		
Maximum Motor Power		
4 kw		5.4 HP
Maximum Delivery Pressure		
350 barg		5,076 psig
Dimensions		
Length 361 mm 14.2 in	Depth 530 mm 20.9 in	Height 505 mm 19.9 in
Mass		
39 kg		79 lb
Delivery Connection		
8 mm		
Noise Level		
82 dB(A)		




5405




Drive Options		
326 X 1 X SPA		
Maximum Motor Power		
4 kw	6 HP	
Maximum Delivery Pressure		
350 barg	5,076 psig	
Dimensions		
Length 361 mm 14.2 in	Depth 530 mm 20.9 in	Height 505 mm 19.9 in
Mass		
39 kg	86 lb	
Delivery Connection		
8 mm		
Noise Level		
82 dB(A)		




Integrated New Life




5407



Drive Options		
325 X 2 X SPA		
Maximum Motor Power		
10 kw		13.4 HP
Maximum Delivery Pressure		
414 barg		6,000 psig
Dimensions		
Length 483 mm 19 in	Depth 559 mm 22 in	Height 685 mm 27 in
Mass		
77 kg		170 lb
Delivery Connection		
8 mm		
Noise Level		
86 dB(A)		




5409




Drive Options		
325 X 2 X SPA		
Maximum Motor Power		
18 kw	24.1 HP	
Maximum Delivery Pressure		
414 barg	6,000 psig	
Dimensions		
Length 515 mm 20.3 in	Depth 714 mm 28.1 in	Height 697 mm 27.4 in
Mass		
113 kg	249 lb	
Delivery Connection		
8 mm		
Noise Level		
88 dB(A)		







5417



Drive Options		
310 X 2 X SPB		N-EU PEX Type 'A' Size 140
Maximum Motor Power		
25 kw		33.5 HP
Maximum Delivery Pressure		
350 barg		5,076 psig
Dimensions		
Length 804mm 31.7 in	Depth 938 mm 36.9 in	Height 749 mm 29.5 in
Mass		
520 kg		1145 lb
Delivery Connection		
1/2 G		
Noise Level		
82 dB(A)		



5437



Drive Options		
310 X 2 X SPC		N-EUP EX Type 'A' Size 160
Maximum Motor Power		
55 kw		73.8 HP
Maximum Delivery Pressure		
414 barg		414 barg
Dimensions		
Length 1073 mm 42.2 in	Depth 1236 mm 48.7 in	Height 1121 mm 44.1 in
Mass		
1140 kg		2513 lb
Delivery Connection		
1/2 G		
Noise Level		
89 dB(A)		



ADVANCED NEW LIFE

BEST IN CLASS OIL CARRYOVER GUARANTEED

Reavell's revolutionary piston technology results in market leading oil carryover below 3 ppm, maximising downstream filter life and minimising compressor oil consumption.

Our low pressure stages ensure minimum oil carryover, unparalleled machine reliability and maximum efficiency through the use of our own specification of iron alloy bores, plateau honed to our in house design standards, iron piston rings with optimised geometry and targeted lubrication.

But it's our high pressure stages that really set us apart from the competition. Decades of development work focusing on minimising oil carryover, maximising reliability, and allowing extreme ease and speed of maintenance have led us to our revolutionary hardened steel, polished bores combined with polymer piston rings and our revolutionary torus lubrication system.

So whatever matters to you, whether it's minimum oil carryover, maximum reliability, or extreme ease of maintenance, you can be sure you've made the right choice with Reavell.

Reavell 5407 Cylinder Line

Polymer final stage piston rings work with marginal lubrication systems to seal with minimum wearing parts, for **minimum maintenance burden**

Plateau hone on steel cylinder bore ensures **maximum lubricant control, and minimum blow-by**

Gramophone finish on piston surface compliments the plateau honed bore, to ensure **optimum lubricant control**

Retained plunger ensures **extreme ease of maintenance**

**HIGH
PRESSURE
STAGE**

Special coating on plunger surface further **enhances lubricant control**

**LOW
PRESSURE
STAGE**

Torus lubrication system works with the plunger and bore to provide **optimum final stage lubrication, with minimum blow-by**

Plain, unchromed and unbarrelled low pressure piston rings ensure **minimum blow by** and **maximum reliability**, as well as maximum heat transfer, ensuring **maximum booster efficiency**

Specialised New Life

Quality - when it matters most

At Reavell we aren't like other breathing air compressor manufacturers, we support specialist compressed air and gas requirements across industry, and that means we can offer you more.

All of our compressors are designed and manufactured in our factory in the UK, meaning we don't purchase 3rd party compressor components or sub-assemblies. Because we design and specify every component to our exacting standards we know the limits of our machines, and we are happy to take our breathing air compressors further than anyone else - whether it's explosive environments, sub-zero temperatures, or any other critical application, you can be sure that with a Reavell compressor, we've got you covered.

ATEX Certified


All compressor designs have been ATEX assessed, and can be supplied with ATEX certification and a temperature rating of T2

3.1 Material Certificates

For critical applications, 3.1 material certificates are available on pressure retaining parts across the range, giving complete material traceability

Operation Below 0°C Ambient

All compressors can operate at ambient temperatures down to -10°C, with sump heaters available on all models rated above 5 kW





SERVICING AND MAINTENANCE - 1,500 HOUR SERVICE INTERVALS

As a package supplier, supporting your customer's investment is a key aspect of your business, and with a Reavell compressor you can be sure you've got the edge over the competition.

Our compressors come with market leading service intervals up to 1,500 hours. We provide

preventative maintenance kits designed to minimise costs, covering minor air end servicing right down to running gear overhauls - so not only will your machine run longer between services, but it will also keep on running long after the competition machines have been replaced.

	Oil Change	Minor 1	Minor 2	Minor 3	Minor 4	Minor 5	Major
5404	HSK1503	HSK1511	HSK1538	-	-	-	HSK1600
5405	HSK1503	HSK1511	HSK1546	-	-	-	HSK1554
5405E	HSK1503	HSK1562	HSK1570	-	-	-	HSK1589
5407	HSK5207	HSK1457	HSK6394	HSK6408	-	-	HSK6416
5409	HSK1392	HSK1406	HSK6424	HSK6432	-	-	HSK6440
5417	HSK1856	HSK1937	HSK1945	HSK1953	HSK1961	HSK1988	HSK1996
5437	HSK1201	HSK1228	HSK1236	HSK1252	HSK1244	-	HSK1260

5404 and 5405 service interval 500 hours
5407 and 5409 service interval 1,000 hours
5417 and 5437 service interval 1,500 hours

Supporting new life

Reavell - your specialist partner

At Reavell we value our partners, and we know that every successful OEM partnership is unique.

Speak to your local Reavell sales representative about the unique OEM supply agreements we can offer to our breathing air module customers.



OEM Supply specialists

Reavell have supplied high pressure piston compressors for over 100 years. And not only that, throughout our history we have offered solutions at every level of industry, supplying air ends to OEMs, semi complete packages to integrators, and complete turnkey packages to end users.

This unique position means we understand the market requirements at every level, and know the challenges faced by package designers. So our unique breathing air modules offer you the flexibility to develop a package unique to your brand, but with all of the reliability of a premium breathing air machine built in - that's why all of our compressors

can be delivered with extra or modified equipment to ensure they fit into your system as efficiently as possible.

What's more, our engineers have minimised the module footprint, giving you maximum freedom to ensure your package is lightweight, compact, and includes plenty of space for maintenance.

Speak to your local Reavell sales representative today to find out more about our range of world class breathing air modules.

Factory refurbishment centre

Depending on the planned lifetime of your systems, replacing compressor units is not always a suitable option. Our factory refurbishment centre has supported key customers across industry and military applications for decades, so you can be sure that with Reavell – your total system will be supported for its life.




Reavell Training Days

At Reavell we're proud of our products - and we like to show them off!

Our range of factory training days cover everything from important health and safety considerations and breathing air basics right up to in depth machine maintenance training and market and application focussed sales training.

What's more, because we value our partners we can design a bespoke training course around your requirements. So whether it's sales training centered on technical features and USPs or hands-on maintenance training for your engineers, we can offer the course for you.

All supported by our brand new factory training centre, opened in 2017, and available at a time and place that suits you, speak to your local Reavell sales representative today to book your place.



Breathing New Life

High Pressure Compressor Modules for Breathing Air System Providers

Perfect With Pressure

Designed for reliable integration and optimised for maintenance. Breathe new life into your breathing air systems with Reavell

Ease of Integration

- Integrated reliability means you don't have to worry about your compressor unit.

Revolutionary Piston Technology

- Low pressure stage design ensures maximum reliability and efficiency, with minimum piston blow-by.
- High pressure stage design ensures minimum oil consumption and blow-by, maximum reliability, fewer wearing parts and extreme ease of maintenance.

Industry Leading Expertise

- ATEX certified, 3.1 Material certificates, operation below 0°C ambient.
- Market leading 1,500 hour service intervals

Specialist Support

- Unique OEM supply agreements.
- Bespoke training packages

Single Source Solutions

For more than 155 years, Gardner Denver has been a leading global provider of compressors, blowers and vacuum pumps. OEMs and end-users from every corner of the world rely on us for their business solutions. With global teamwork, strong customer focus, and vast application knowledge, our brands provide reliable, energy-efficient products that serve a wide range of manufacturing and process industries.

Reavell offer solutions for:



Breathing air



Breathing gas



Nitrogen boosting



Cng & biogas



Engine start



Industrial air & gas



Marine & Offshore



Defence

Contact us today:

Reavell

Claybrook Drive, Redditch, Worcestershire, B98 0DS, UK

T: +44 (0) 1527 838 600 | F: +44 (0) 1527 838 630

E: highpressure@gardnerdenver.com

www.gardnerdenver.com/highpressure

